




MARBLE+


RIALTO
porcellanato

RIALTO[®]
porcellanato



RIALTO
porcellanato



Size:
600x1200mm
600x600mm


Finish
Polished
Matt

MARBLE+

MARBLE+

Finish:
Polished
Soft Polished
Matt

Size:
600x1200mm
900x1800mm







CARRARA

Size:
60x120cm
60x60cm

Finish:
Polished
Matt



STATUARIO

Size:
90x180cm
60x120cm
60x60cm

Finish:
Polished
Soft Polished
Matt





Polished

STATUARIO



Soft Polished



CREMA MARFIL

Size:
90x180cm
60x120cm

Finish:
Polished
Soft Polished
Matt



Polished



CREMA MARFIL



Soft Polished

RIALTO®
porcellanato



NORMANDY

Size:
90x180cm
60x120cm

Finish:
Polished
Soft Polished
Matt






NORMANDY

Soft Polished



Polished





PALANCIA

Size:
90x180cm
60x120cm

Finish:
Polished
Soft Polished
Matt




Polished

PALANCIA



Soft Polished

PORTOR GOLD



Size:
90x180cm
60x120cm

Finish:
Polished
Soft Polished
Matt

PORTOR GOLD

Polished



Soft Polished



Caratteristiche tecniche / Technical characteristics

UNE-EN ISO 10545	Test Standard ISO 13006-EN1441	Product Standard RIALTO VALUES	MARBLE+ RIALTO VALUES
------------------	-----------------------------------	-----------------------------------	--------------------------

Caratteristiche dimensionali /
Dimensional and surface appearance

Spessore / Thickness	ISO 10545-2	± 5 %	± 3 %
Lunghezza e larghezza / Lenght and width	ISO 10545-2	± 0,5 %	± 0,2 %
Ortogonalità / Squareness	ISO 10545-2	± 0,6 %	± 0,2 %
Planarità / Surface flatness	ISO 10545-2	± 0,5 %	± 0,2 %

Proprietà fisiche / Phisical Properties

Assorbimento d'acqua / Water absorption	ISO 10545-3	≤ 0,5 %	0,08 %
Resistenza a flessione N/mm ² / Moduls of rupture N/mm ²	ISO 10545-4	≥ 35 N/mm ²	56 N/mm ²
Sforzo di rottura N / Breaking strength N	ISO 10545-4	≥ 1300 N	2600 N
Resistenza agli sbalzi termici / Resistance to thermal shock	ISO 10545-9	REQUIRED	PASS
Resistenza al gelo / Frost resistance	ISO 10545-12	REQUIRED	PASS

